


10x Buffer A pH 7.2

running buffer for **proFIRE**

Dynamic Biosensors GmbH & Inc.

BU-P-150-10 v2.1



Product Description

Order Number: **BU-P-150-10**

Table 1. Contents and Storage Information

Material	Composition	Amount	Storage
10x Buffer A pH 7.2	500 mM Na ₂ HPO ₄ /NaH ₂ PO ₄ , 1.5 M NaCl; 0.2 µm sterile filtered	50 mL	RT

For research use only.

This product has a limited shelf life, please see expiry date on label.

At temperatures lower than 18°C precipitation may occur.

Preparation

Dilute the complete solution 10x Buffer A pH 7.2 (50 mL) by mixing with 450 mL ultrapure water.

After dilution Buffer A is ready for use (50 mM Na₂HPO₄/NaH₂PO₄, 150 mM NaCl).

The diluted buffer should be stored at 2-8°C.

Contact

Dynamic Biosensors GmbH

Perchtinger Str. 8/10
81379 Munich
Germany

Dynamic Biosensors, Inc.

300 Trade Center, Suite 1400
Woburn, MA 01801
USA

Order Information order@dynamic-biosensors.com

Technical Support support@dynamic-biosensors.com

www.dynamic-biosensors.com

Instruments and chips are engineered and manufactured in Germany.

©2024 Dynamic Biosensors GmbH | Dynamic Biosensors, Inc. All rights reserved.