

## 10x Buffer A

running buffer for proFIRE

Dynamic Biosensors GmbH & Inc.

PF-BU-A-10 v5.1



## Product Description

Order Number: **PF-BU-A-10**

*Table 1. Contents and Storage Information*

Material	Composition	Amount	Storage
<b>10x Buffer A</b>	500 mM Na <sub>2</sub> HPO <sub>4</sub> /NaH <sub>2</sub> PO <sub>4</sub> , 1.5 M NaCl, pH 7.2; 0.2 µm sterile filtered	50 mL	RT

For research use only.

This product has a limited shelf life, please see expiry date on label.

At temperatures lower than 18°C precipitation may occur.

## Preparation

Dilute the complete solution 10x Buffer A (50 mL) by mixing with 450 mL ultrapure water.

After dilution Buffer A is ready for use (50 mM Na<sub>2</sub>HPO<sub>4</sub>/NaH<sub>2</sub>PO<sub>4</sub>, 150 mM NaCl).

The diluted buffer should be stored at 2-8°C.

## Contact

**Dynamic Biosensors GmbH**

Perchtinger Str. 8/10  
81379 Munich  
Germany

**Dynamic Biosensors, Inc.**

300 Trade Center, Suite 1400  
Woburn, MA 01801  
USA

**Order Information**   [order@dynamic-biosensors.com](mailto:order@dynamic-biosensors.com)

**Technical Support**   [support@dynamic-biosensors.com](mailto:support@dynamic-biosensors.com)

**[www.dynamic-biosensors.com](http://www.dynamic-biosensors.com)**

Instruments and chips are engineered and manufactured in Germany.

©2024 Dynamic Biosensors GmbH | Dynamic Biosensors, Inc. All rights reserved.