# dynamic BIOSENSORS

### Safety Data Sheet

#### according to 29 CFR 1910.1200(g)

#### 5 x proFIRE® Buffer B

Revision date: 12/08/2022

Product code: PF-BU-B-5.

Page 1 of 8

#### 1. Identification

#### **Product identifier**

5 x proFIRE® Buffer B

#### Recommended use of the chemical and restrictions on use

#### Use of the substance/mixture

Use as laboratory reagent. The product is intended for research, analysis and scientific education.

#### Uses advised against

Any non-intended use.

#### Details of the supplier of the safety data sheet

Company name: Street: Place:	Dynamic Biosensors Inc. 300 Trade Center, Suite 1400 USA-01801 Woburn, MA	
Telephone: Responsible Department:	+1 781 404 6126 Dr. Gans-Eichler Chemieberatung GmbH Otto-Hahn-Str. 36 D-48161 Münster	e-mail: info@tge-consult.de Tel.: +49(0)2534 6441185 www.tge-consult.de
Emergency phone number:	CONTACT (24-Hour-Number): GBK GmbH 01149-6132-84463	

#### Emergency phone number:

2. Hazard(s) identification

#### **Classification of the chemical**

#### 29 CFR Part 1910.1200

This mixture is not classified as hazardous in accordance with Regulation 29 CFR 1910.1200(d).

#### Label elements

Additional advice on labelling

Label elements GHS: None

#### Hazards not otherwise classified

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

#### 3. Composition/information on ingredients

#### Mixtures

#### **Chemical characterization**

aqueous solution

The product does not contain dangerous substances to be mentioned in Chapter 3.

#### 4. First-aid measures

#### Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.



#### 5 x proFIRE® Buffer B

Revision date: 12/08/2022

Product code: PF-BU-B-5.

Page 2 of 8

#### After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Most important symptoms and effects, both acute and delayed

No information available.

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### 5. Fire-fighting measures

#### Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2) Dry extinguishing powder. alcohol resistant foam. Atomized water.

#### Unsuitable extinguishing media

High power water jet.

#### Specific hazards arising from the chemical

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Phosphorus oxides.

#### Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

#### General advice

See protective measures under point 7 and 8.

#### **Environmental precautions**

Discharge into the environment must be avoided.

#### Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated objects and areas thoroughly observing environmental regulations.

#### Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### 7. Handling and storage

#### Precautions for safe handling

#### Advice on safe handling

Wear suitable protective clothing. (See section 8.)

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### 5 x proFIRE® Buffer B

Revision date: 12/08/2022

Product code: PF-BU-B-5.

Page 3 of 8

#### Advice on general occupational hygiene

Always close containers tightly after the removal of product. Do not eat, drink, smoke or sneeze at the workplace. Wash hands before breaks and after work.

#### Further information on handling

General protection and hygiene measures: refer to chapter 8

#### Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

#### Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

#### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Recommended storage temperature: 20°C Protect against: frost. UV-radiation/sunlight. heat. Humidity

#### 8. Exposure controls/personal protection

#### Control parameters

#### Additional advice on limit values

To date, no national critical limit values exist.

#### Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). Standards: EN 166 or 29 CFR 1910.133

#### Hand protection

In case of prolonged or frequently repeated skin contact: Wear suitable gloves. Suitable material: FKM (fluororubber). - Thickness of the glove material 0,4 mm Breakthrough time >= 8 h Butyl rubber. - Thickness of the glove material 0,5 mm Breakthrough time >= 8 h CR (polychloroprenes, Chloroprene rubber). - Thickness of the glove material 0,5 mm Breakthrough time >= 8 h NBR (Nitrile rubber). - Thickness of the glove material 0,35 mm Breakthrough time >= 8 h PVC (Polyvinyl chloride). - Thickness of the glove material 0,5 mm Breakthrough time >= 8 h The selected protective gloves should satisfy the specifications of standards like EN 374. Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### Skin protection

Suitable protective clothing: Lab apron.

#### **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

Exceeding exposure limit values

Suitable respiratory protective equipment: half-mask with filter EN 149 or 29 CFR 1910.134 .

## 5 x proFIRE® Buffer B

Revision date: 12/08/2022

Product code: PF-BU-B-5.

Page 4 of 8

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

#### **Environmental exposure controls**

No special precautionary measures are necessary.

#### 9. Physical and chemical properties

Information on basic physical and chemic	al properties
Physical state:	liquid
Color:	colourless
Odor:	characteristic
Changes in the physical state	
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
Flash point:	not determined
Explosive properties none	
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature:	not determined
Self-ignition temperature Gas:	not determined
Decomposition temperature:	not determined
pH-Value (at 20 °C):	~7
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Flow time:	not determined
Water solubility:	not determined
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	SECTION 12: Ecological information
Vapor pressure:	not determined
Density:	not determined
Relative vapour density:	not determined
Other information	
Information with regard to physical ha	zard classes
Sustaining combustion:	Not sustaining combustion
Oxidizing properties none	
Other safety characteristics	
Solvent separation test:	not determined

## dynamic BIOSENSORS

### Safety Data Sheet

#### according to 29 CFR 1910.1200(g)

BIOSENSONS	according to 29 CFR 1910.1200(g)	
	5 x proFIRE® Buffer B	
Revision date: 12/08/2022	Product code: PF-BU-B-5.	Page 5 of 8
Solvent content:	not determined	
Solid content:	not determined	
Evaporation rate:	not determined	
Further Information		
10. Stability and reactivity		
Reactivity		
No information available.		
Chemical stability		
Stability:	Stable	
The product is chemically stable	e under recommended conditions of storage, use and temperature.	
Possibility of hazardous reactions		
Hazardous reactions:	Will not occur	
Refer to chapter 10.5.		
Conditions to avoid Protect against: UV-radiation/su	unlight. heat.	
Incompatible materials		
Materials to avoid: Oxidising ag	ent, strong. Reducing agents, strong.	
Hazardous decomposition products Can be released in case of fire:	Carbon monoxide. Carbon dioxide (CO2). Phosphorus oxides.	
11. Toxicological information		
<u>Route(s) of Entry</u> Ingestion: May be harmful if sw irritation. Eye contact: May cau Information on toxicological effects	allowed. Inhalation: May be harmful if inhaled. Skin contact: May cause se irritation.	
Toxicocinetics, metabolism and c	listribution	
No data available.		
Acute toxicity Based on available data, the cla	assification criteria are not met.	
Irritation and corrosivity Based on available data, the cla	assification criteria are not met.	
Sensitizing effects Based on available data, the cla	assification criteria are not met.	

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

### Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.		
Carcinogenicity (OSHA):	No ingredient of this mixture is listed.	
Carcinogenicity (IARC):	No ingredient of this mixture is listed.	
Carcinogenicity (NTP):	No ingredient of this mixture is listed.	

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## dynamic BIOSENSORS

## Safety Data Sheet

#### according to 29 CFR 1910.1200(g)

#### 5 x proFIRE® Buffer B

Revision date: 12/08/2022

Product code: PF-BU-B-5.

Page 6 of 8

#### Specific effects in experiment on an animal

No information available.

#### 12. Ecological information

#### Ecotoxicity

The product has not been tested.

#### Persistence and degradability

The product has not been tested.

#### **Bioaccumulative potential**

No indication of bioaccumulation potential.

#### Mobility in soil

No data available.

#### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### Other adverse effects

No data available.

#### **Further information**

Do not allow to enter into surface water or drains.

#### 13. Disposal considerations

#### Waste treatment methods

#### **Disposal recommendations**

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

Not a hazardous material with respect to these transport regulations. &&

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

#### 14. Transport information

#### US DOT 49 CFR 172.101

Proper shipping name:

Not controlled under DOT Marine transport (IMDG) UN number or ID number: No dangerous good in sense of this transport regulation. UN proper shipping name: No dangerous good in sense of this transport regulation. Transport hazard class(es): No dangerous good in sense of this transport regulation. Packing group: No dangerous good in sense of this transport regulation. Air transport (ICAO-TI/IATA-DGR) UN number or ID number: No dangerous good in sense of this transport regulation. UN proper shipping name: No dangerous good in sense of this transport regulation. Transport hazard class(es): No dangerous good in sense of this transport regulation. Packing group: No dangerous good in sense of this transport regulation. **Environmental hazards** 

No

ENVIRONMENTALLY HAZARDOUS:

#### Special precautions for user

refer to chapter 6 - 8

## 5 x proFIRE® Buffer B

Revision date: 12/08/2022

Product code: PF-BU-B-5.

Page 7 of 8

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not relevant

#### 15. Regulatory information

#### U.S. Regulations

#### **National Inventory TSCA**

All substances are not listed under TSCA 12(b)

All substances are listed or exempted listed in the TSCA inventory 8 (b):

#### State Regulations

#### Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

This mixture is classified as not hazardous according to Regulation 29 CFR Part 1910.1200.

#### 16. Other information

Hazardous Materials Information Label (HMIS)				
Health:	0			
Flammability:	0			
Physical Hazard:	0			
Personal Protection:	-			
NFPA Hazard Ratings				
Health:	0			
Flammability:				
Reactivity:	0			
Unique Hazard:				
Changes				
Revision date:	08.12.2022			
Revision No:	2,0			
Rev. 1.0; 04.03.2019, Initial release				
Rev. 2.0; 08.12.2022; Changes in chap	oter: 1,16			
Abbreviations and acronyms				
ACGIH:American Conference of Gover	mmental Industrial Hygienists			
ASTM: American Society for Testing and Materials.				
ATE: acute toxicity estimate				
BCF: Bio concentration factor				
ECHA: European Chemicals Agency				
CAS: Chemical Abstracts Service				
CFR: Code of Federal Regulations DOT: Department of Transportation				
d: days				
EC50: Half maximal effective concentration				
EN: European Norm				
EPA: Environmental Protection Agency	/			
	Classification and Labelling of Chemicals			
h: hours				
HMIS: Hazardous Materials Identification System				
IARC: INTERNATIONAL AGENCY FO	R RESEARCH ON CANCER			

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IBC: Intermediate Bulk Container

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association





## Safety Data Sheet

according to 29 CFR 1910.1200(g)

#### 5 x proFIRE® Buffer B

Revision date: 12/08/2022

Product code: PF-BU-B-5.

Page 8 of 8

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent MARPOL: marine pollution NOAEL: No observed adverse effect level NOAEC: No observed adverse effect concentration NTP: National Toxicology Program N/A: not applicable NFPA: National Fire Protection Association UN: United Nations OECD: Organisation for Economic Co-operation and Development OSHA: Occupational Safety and Health Administration PBT: Persistent bioaccumulative toxic RTECS: Registry of Toxic Effects of Chemical Substances REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals SARA: Superfund Amendments and Reauthorization Act STEL: short-term exposure limits **TSCA:** Toxic Substances Control Act TWA: time weighted average VOC: Volatile Organic Compounds Other data Classification according 29 CFR Part 1910.1200: - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method. Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)