

## 5x Buffer B pH 7.2

running buffer for **proFIRE** 

Dynamic Biosensors GmbH & Inc. BU-P-1000-5 v2.1





## **Product Description**

Order Number: BU-P-1000-5

Table 1. Contents and Storage Information

| Material           | Composition   | Amount | Storage |
|--------------------|---|--------|---------|
| 5x Buffer B pH 7.2 | 250 mM Na <sub>2</sub> HPO <sub>4</sub> /NaH <sub>2</sub> PO <sub>4</sub> , 5 M NaCl; 0.2 μm sterile filtered | 50 mL  | RT      |

For research use only.

This product has a limited shelf life, please see expiry date on label.

At temperatures lower than 18°C precipitation may occur.

## **Preparation**

Dilute the complete solution 5x Buffer B pH 7.2 (50 mL) by mixing with 200 mL ultrapure water.

After dilution Buffer B is ready for use (50 mM Na<sub>2</sub>HPO<sub>4</sub>/NaH<sub>2</sub>PO<sub>4</sub>, 1 M NaCl).

The diluted buffer should be stored at 2-8°C.



## **Contact**

**Dynamic Biosensors GmbH** 

Perchtinger Str. 8/10 81379 Munich Germany **Dynamic Biosensors, Inc.** 

300 Trade Center, Suite 1400 Woburn, MA 01801

USA

Order Information order@dynamic-biosensors.com

Technical Support support@dynamic-biosensors.com

www.dynamic-biosensors.com

Instruments and chips are engineered and manufactured in Germany. ©2024 Dynamic Biosensors GmbH | Dynamic Biosensors, Inc. All rights reserved.