


## 10x Buffer PE140 pH 7.4

running buffer

Dynamic Biosensors GmbH & Inc.

BU-PE-140-10 v2.1



## Product Description

Order Number: **BU-PE-140-10**

*Table 1. Contents and Storage Information*

Material	Composition	Amount	Storage
<b>10x Buffer PE140 pH 7.4</b>	100 mM Na <sub>2</sub> HPO <sub>4</sub> /NaH <sub>2</sub> PO <sub>4</sub> , 1.4 M NaCl, 500 μM EDTA, 500 μM EGTA and 0.5 % Tween20; 0.2 μm sterile filtered	50 mL	2-8°C

For research use only.

This product has a limited shelf life, please see expiry date on label.

## Preparation

Dilute the complete solution 10x Buffer PE140 pH 7.4 (50 mL) by mixing with 450 mL ultrapure water.

After dilution PE140 Buffer is ready for use (10 mM Na<sub>2</sub>HPO<sub>4</sub>/NaH<sub>2</sub>PO<sub>4</sub>, 140 mM NaCl, 50 μM EDTA, 50 μM EGTA and 0.05 % Tween20).

The diluted buffer should be stored at 2-8°C.

## Contact

**Dynamic Biosensors GmbH**

Perchtinger Str. 8/10  
81379 Munich  
Germany

**Dynamic Biosensors, Inc.**

300 Trade Center, Suite 1400  
Woburn, MA 01801  
USA

**Order Information** [order@dynamic-biosensors.com](mailto:order@dynamic-biosensors.com)

**Technical Support** [support@dynamic-biosensors.com](mailto:support@dynamic-biosensors.com)

[www.dynamic-biosensors.com](http://www.dynamic-biosensors.com)

Instruments and chips are engineered and manufactured in Germany.

©2024 Dynamic Biosensors GmbH | Dynamic Biosensors, Inc. All rights reserved.