


10x Passivation solution

for chip surface passivation (with thiol-reactive compound)

Dynamic Biosensors GmbH & Inc.

SOL-PAS-1-5 v2.1



Product Description

Order Number: **SOL-PAS-1-5**

Table 1. Contents and Storage Information

Material	Cap	Amount	Storage
10x Passivation Solution	Yellow	5 x 1 mL	-20°C

For research use only.

This product has a limited shelf life, please see expiry date on label.

Preparation

Dilute 10x Passivation solution with ultrapure water by mixing the complete solution (1 mL) with 9 mL ultrapure water.

The diluted solution should be stored at 2-8°C and can be used for 2 weeks.

Useful Order Numbers

Table 2. Order Numbers

Product Name	Comment	Order Number
heliX[®] Adapter Chip	Chip with 2 detection spots	ADP-48-2-0
Regeneration solution	For regeneration of chip surface	SOL-REG-1-5

Contact

Dynamic Biosensors GmbH

Perchtinger Str. 8/10
81379 Munich
Germany

Dynamic Biosensors, Inc.

300 Trade Center, Suite 1400
Woburn, MA 01801
USA

Order Information order@dynamic-biosensors.com

Technical Support support@dynamic-biosensors.com

www.dynamic-biosensors.com

Instruments and chips are engineered and manufactured in Germany.

©2024 Dynamic Biosensors GmbH | Dynamic Biosensors, Inc. All rights reserved.